

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO |
|---------------------------|-----------------------------------|----------------------|---------------------|-----------------|
| 10/676,658 | 09/30/2003 | Zhenhai Lin | 50277-2280 | 8991 |
| 42425 HICKMAN P | 7590 11/27/200 ALERMO TRUONG & | • | EXAM | IINER |
| 2055 GATEW | TEWAY PLACE | | TIMBLIN, ROBERT M | |
| SUITE 550 SAN JOSE, C. | A 95110-1089 | | ART UNIT | PAPER NUMBER |
| | | | 2167 | |
| | | | | |
| | | | MAIL DATE | DELIVERY MODE |
| | | | 11/27/2007 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | | Application No. | Applicant(s) | | | | |
|--|---|-------------------|---|--|--|--|--|
| | | 10/676,658 | LIN, ZHENHAI | | | | |
| Response to Rule 312 Communication | | Examiner | Art Unit | | | | |
| | | Robert M. Timblin | 2167 | | | | |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address – | | | | | | | |
| | | | | | | | |
| . 57 ~ | | | | | | | |
| In the amendment filed on <u>05 November 2007</u> under 37 CFR 1.312 has been considered, and has been: a) ☐ entered. | | | | | | | |
| b) ⊠ | entered as directed to matters of form not affecting the scope of the invention. | | | | | | |
| | | | | | | | |
| c) 📙 | disapproved because the amendment was filed after the payment of the issue fee. Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue. | | | | | | |
| d) 🗌 | disapproved. See explanation below. | | | | | | |
| e) 🗌 | entered in part. See explanation below. | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | • | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | · | | • | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | IN COTTINGHAM ORY PATENT EXAMINER OLOGY CENTER 2100 | | | | |